

Message

From: Ruelas, Cynthia [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=A7E251B9DBB24D308D1FA3B219F6AA52-CRUELAS]
Sent: 6/4/2019 12:06:23 AM
To: Withrow, Mark [MWithrow@portla.org]
CC: Sadrpour, Shirin [SSadrpour@portla.org]
Subject: RE: Wilmington Marine Services

Hello Mark,

Yes, I will prepare a formal letter. Steve Armann, manager of the Corrective Action Section, is in LA on work travel for the rest of the week, but I will discuss with Nicole Moutoux, the RCRA Branch Manager. I should be able to get this to you by the end of the week.

Thanks,
Cynthia

From: Withrow, Mark <MWithrow@portla.org>
Sent: Monday, June 3, 2019 4:17 PM
To: Ruelas, Cynthia <RUELAS.CYNTHIA@EPA.GOV>
Cc: Sadrpour, Shirin <SSadrpour@portla.org>
Subject: RE: Wilmington Marine Services

Good Afternoon Cynthia,
Thank you again for the conference call last week. Our City Attorney is in litigation with the former tenant at Wilmington Marine Services for cost recovery purposes regarding our site investigation work and EPA's request for an application under TSCA [40 C.F.R. § 761.61(c) for risk-based cleanup. After discussion, we would appreciate it if EPA could provide us with a formal letter requesting the application. Please let us know if you would like to discuss.
Thanks,

Mark Withrow, PE
Environmental Management Division
City of Los Angeles Harbor Department
310-221-4783 (office)
949-394-2194 (cell)

From: Ruelas, Cynthia [mailto:RUELAS.CYNTHIA@EPA.GOV]
Sent: Friday, May 31, 2019 8:24 AM
To: Withrow, Mark <MWithrow@portla.org>
Cc: Benfield, Heather <Heather.Benfield@tetrattech.com>; Nelson, Eric J <Eric.J.Nelson@tetrattech.com>; Duffy, Mark <duffy.mark@epa.gov>; Wilson, Patrick <Wilson.Patrick@epa.gov>; Armann, Steve <Armann.Steve@epa.gov>
Subject: Wilmington Marine Services

CAUTION: External email.

Hello Mark,

Thank you for your submission of the Site Investigation Report for the former Wilmington Marine Services site. After having reviewed the report, and as a follow-up to our call yesterday, 5/30/2019, it is apparent that comprehensive characterization of PCBs in on-site soil, asphalt and concrete has taken place.

Please prepare and submit an application (workplan) under TSCA [40 C.F.R. § 761.61(c)] for removal of soil/asphalt/concrete impacted with PCBs at the site, and for further evaluation of the nature of PCBs in groundwater at the site, including plans for long-term monitoring. Please refer to PCB FAST on our website for more information about the risk-based cleanup process under TSCA:

https://www.epa.gov/sites/production/files/2017-06/documents/06072017_final_pcbfast_toolbox_508compliant.pdf

Tool 4 [TSCA Risk-Based PCB Cleanup Checklist 761.61(c)], which starts on page 39, is the section relevant to risk-based PCB cleanups. Please use this checklist as a guide when preparing the application.

Please let me know if you have any questions.

Thanks!

.....
Cynthia Ruelas
Environmental Engineer
Permits Section
US Environmental Protection Agency Region 9
75 Hawthorne Street, Mail Code LND-4-2
San Francisco, CA 94105

Tel: (415) 972-3329
Fax: (415) 947-3528
Email: ruelas.cynthia@epa.gov

-----Confidentiality Notice-----

This electronic message transmission contains information from the Port of Los Angeles, which may be confidential. If you are not the intended recipient, be aware that any disclosure, copying, distribution or use of the content of this information is prohibited. If you have received this communication in error, please notify us immediately by e-mail and delete the original message and any attachment without reading or saving in any manner.